| DITCEPTO<br>Complete Nutrients |  |  | <b>Feed Chart Hydro/Coco - Per 1 L of water</b><br>Important: This Feed Chart is just a guide.<br>It is possible to deviate.<br>First add A to the water then B. Continue until EC is reached.<br>Use equal quantities from A and B ! |  |  |  |  |  |  |  | Www.dutchpro.com |  |
|--------------------------------|--|--|---|--|--|--|--|--|--|--|------------------|--|
| Per 1 L of water               | VEG PERIOD<br>Seeding & Cuttings<br>18 HOURS OF LIGHT                          |  | BLOOM PERIOD - 12 HOURS OF LIGHT  |  |  |  |  |  |  |  |                  |  |
| Week:                          | 1  | 2  | 1   | 2  | 3  | 4  | 5  | 6  | 7  | 8  | FLUSH            |  |
| MUTRIENT ENHANCER              | Watering<br>2 ml.  |  | 1 ml.   |  | 1 ml.  |  | 1 ml.  |  | 1 ml.  |  |                  |  |
| Root STIMULATOR                | 1 ml.  | 1 ml.  | 1 ml.   | 1 ml.  |  |  |  |  |  |  |                  |  |
| BASE FEED<br>HIDBRICOCO        | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 1.8 - 2.0</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 1.8 - 2.0</b> |   |  |  |  |  |  |  |  |                  |  |
| BASE FEED<br>HDDROICCOD        |  |  | A & B (each)<br>Min. 2.5 ml.<br>Max. 5.5 ml.<br>EC 2.0 - 2.4  | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> | <b>A &amp; B (each)</b><br>Min. 2.5 ml.<br>Max. 5.5 ml.<br><b>EC 2.0 - 2.4</b> |                  |  |
| Explode BOOSTER                |  |  |   |  | 0.5 ml.  | 0.5 ml.  | 1 ml.  | 1 ml.  | 1.5 ml.  | 1.5 ml.  |                  |  |

## **OPTIONAL ENVIRONMENTAL SUPPLEMENTS**

## **OPTIONAL ENVIRONMENTAL SUPPLEMENTS**

| Foliar Spray                 | 1x week      | 1x week      | 1x week      | 1x week      |              |              |              |              |              |              |         |
|------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------|
| DUCT CLEANER                 | 0.1 ml.      | 0.1 ml. |
| PH-php PH REGULATOR          | PH=5.8 - 6.2 |         |
| Silica<br>Special<br>Special | 0.4 ml.      |         |
| Calmage CALMAG               | 0.1 - 1 ml.  |         |